

CARBOHYDRATE RESEARCH, VOL. 161 (1987)

AUTHOR INDEX

- ABBAS, S. A., 31, 39, 318
ABBATE, S., 1
ABE, Y., 314
ALEMANY, A., 144
ALÉN, R., 156
ANSARI, A. A., 225
AOKI, Y., c1
ASENSIO, A., 167
AVALOS GONZALEZ, M., 49

BAIRD, J., 127
BHAT, U. R., 161
BULPIN, P. V., 291

CAROFF, M., c4
CARR, S. A., 305
CHAKRABORTY, A. K., 91
CHOAY, J., 305
CHOWDHURY, T. A., 127

DEN DRIJVER, L., 65
DUBEY, R., 31

FEIZI, T., 133
FERNANDEZ-MAYORALAS, A., 144
FREJD, T., 225
FRENCH, D., 257
FRUSH, H. L., 181
FUKUDA, H., 314

GALBIS PEREZ, J. A., 49
GIDLEY, M. J., 291, 301
GREEN, B. N., 305

HANSSON, G. C., 281
HASHIMOTO, Y., 113
HINDSGAUL, O., 195, 324
HOLZAPFEL, C. W., 65

IDO, T., 314
INOUE, Y., 75
ISBELL, H. S., 181
ITO, M., 314

JAIN, R. K., 31, 318
JANSSON, P.-E., 273
JIMENEZ REQUEJO, J. L., 49
JIMENO, M. L., 144

KARLSSON, H., 281
KATO, K., c1
KOHATA, K., 39
KOHDA, Y., 247
KONG, F., 235
KRUGER, G. J., 65
KÜFNER, U., 211

LADEŠIĆ, B., 150
LARSON, G., 281
LEBBAR, S., c4
LENNHOLM, H., 273
LINDBERG, B., 127, 273
LINDQUIST, I., 127
LINDQUIST, U., 273
LONGHI, G., 1

MAGNUSSON, G., 225
MARTIN-LOMAS, M., 144
MATSUZAWA, T., 314
MATTA, K. L., 31, 39, 318
MENG, J., 171
MURALIKRISHNA, G., 265

NAGASAWA, K., 75
NAKAMURA, S., 247
NATH, K., 91

OHNISHI, M., 257

PALACIOS ALBARRAN, J. C., 49
PANOSSIAN, C. A., 97
PETITOU, M., 305
PIMLOTT, W., 281

RAMOS MONTERO, M. D., 49
REINHOLD, V. N., 305
REUBEN, J., 23
RICARD, L., 1
ROSELL, K.-G., 171

SALIMATH, P. V., 161, 265
SCHMIDT, R. R., 211
SESARTIĆ, L., 150
SHIBAEV, V. N., 97
SINAY, P., 305
SRIVASTAVA, L. M., 171
SRIVASTAVA, O. P., 195, 324

STURTEVANT, J. M., 257
SU, B., 235
SUGIYAMA, H., 314
SVENSON, S. B., 273
SZABÓ, L., c4

TADA, M., 314
TAKAHASHI, T., 314
TAKO, M., 247
TANG, P. W., 133
THARANATHAN, R. N., 161, 265
TOMAŠIĆ, J., 150
TOMIĆ, S., 150
TORGOV, V. I., 97

TSUMURAYA, Y., 113

UENO, Y., c1

VAN DYK, M. S., 65

WU, E, 235

YAMAGUCHI, K., 314

YAMAMOTO, A., 75

YAMAMOTO, S., 113

YAMAUCHI, R., c1

ZERBI, G., 1

CARBOHYDRATE RESEARCH, VOL. 161 (1987)

SUBJECT INDEX

- Acylation of glycofurano[2,1-*d*]imidazolidine-2-thiones: a structural revision, 49
- Alcaligenes* ATCC 31853, structural studies of an extracellular polysaccharide (S-198) elaborated by, 127
- Amylodextrin fractions, binding of iodine to, 257
- Analysis of the carbon-13 n.m.r. spectrum of methanolized *O*-ethylcellulose: monomer composition and models for its description, 23
- Antigen activities on the *O*- and the *N*-linked chains of human milk galactosyltransferase, detection of, 133
- Application of a simple methylation procedure for the analysis of glycosphingolipids, 281
- L-Arabino-D-galactan and L-arabino-D-galactan-containing proteoglycan from radish seeds, 113
- Arabinoxylan and a rhamnogalacturonan derived from linseed mucilage, structural features of an, 265
- Blood-group related antigens on both *O*- and *N*-linked chains of human milk galactosyltransferase, detection of, 133
- 3-Bromo-2-bromomethylpropyl glycosides in the preparation of double-chain bis-sulfide neo-glycolipids, 225
- ι -Carrageenan, conformational transition in, 247
- Cellulose, *O*-ethyl-, analysis of the ^{13}C -n.m.r. spectrum of methanolized, 23
- Chain-length requirement for the formation of double helices in the crystallisation of malto-oligosaccharides, the minimum, 291
- Chemical characterization of floridosides from *Porphyra perforata*, 171
- Conformational dependence of CH(CD)-stretchings in D-glucose and some deuterated derivatives as revealed by infrared and Raman spectroscopy, 1
- Conformational transition in ι -carrageenan, 247
- Crystalline type (A-C) of native starches and model compounds, factors affecting the, 301
- Crystallisation of malto-oligosaccharides as models of the crystalline forms of starch: minimum chain-length requirement for the formation of double helices, 291
- 2-Deoxy-2-fluoro-D-galactopyranose, synthesis of ^{18}F -labelled, using the acetyl hypofluorite procedure, 314
- 3-Deoxy-2-octulosonic acid, detection in thiobarbiturate-negative endotoxins of, c4
- Depolymerization of pectin with diazomethane, 75
- Diazomethane, depolymerization of pectin with, 75
- 4,6-Dideoxy-D- and -L-hexoses, synthesis from racemic and *meso*-dipropenylglycol of, 211
- 2,6-Dioxabicyclo[3.1.1]heptanes, substituted, synthesis and conformational analysis of, 235
- Dipropenylglycol, racemic and *meso*-, synthesis of 4,6-dideoxy-D- and -L-hexoses from, 211
- Disaccharides, and related compounds, mechanisms for hydroperoxide degradation of, 181
- Double-chain bis-sulfide neo-glycolipids, 3-bromo-2-bromomethylpropyl glycosides in the preparation of, 225
- Endotoxin, thiobarbiturate-negative, detection of 3-deoxy-2-octulosonic acid in, c4
- Escherichia coli* O-2 lipopolysaccharide, structural studies of the O-specific side-chains of the, 273
- Esterase-catalysed de-esterification of radio-labelled methyl 2,6-di-*O*-pivaloyl- α -D-glucopyranoside, synthesis and, 150
- Factors affecting the crystalline type (A-C) of native starches and model compounds: a rationalisation of observed effects in terms of polymorphic structures, 301
- Floridosides, from *Porphyra perforata*, chemical characterization of, 171
- Flow-calorimetric study of the binding of iodine to amylopectin, 257
- O*- α - and *O*- β -D-Galactopyranosyl-(1 \rightarrow 3)- and -(1 \rightarrow 4)- α -D-galactopyranose, ^{13}C -n.m.r. studies of peracetylated derivatives of, 144
- β -D-GlcpNAc-(1 \rightarrow 3)- β -D-Galp-(1 \rightarrow 3)- β -D-GlcpNAc-(1 \rightarrow 3)- β -D-GalpOMe, synthesis of, 39
- β -D-GlcpNAc-(1 \rightarrow 6)- β -D-GalpOMe, synthesis of, 39

- β -D-GlcpNAc-(1 \rightarrow 3)-[β -D-GlcpNAc-(1 \rightarrow 4)]- β -D-GalpOMe, synthesis of, 39
- Glucan, (1 \rightarrow 3)- β -D-, inversion of 2-hydroxyl groups of D-glucosyl units in, C1
- α -D-Glucofuranose and β -D-fructofuranose, photochemical oxidation of partially protected derivatives of, 65
- α -D-Glucoisosaccharinic acid, oxidation by nitric acid of, 156
- D-Glucose and some deuterated derivatives, conformational dependence of CH(CD)-stretchings in, as revealed by infrared and Raman spectroscopy, 1
- Glycofurano[2,1-*d*]imidazolidine-2-thiones, a structural revision of the products of acylation of, 49
- Glycosaminoglycans, sulfated, structural characterization of, by fast-atom-bombardment mass spectrometry, 305
- Glycosphingolipids, application of a simple methylation procedure for the analysis of, 281
- Hemicellulose A from the cork of *Quercus suber*, structural studies of the, 167
- Heparin, fragments of, prepared by chemical synthesis, structure of, 305
- D- and L-Hexoses, 4,6-dideoxy, synthesis of, 211
- Hydroperoxide, degradation of disaccharides and related compounds by, mechanisms of, 181
- Inversion of 2-hydroxyl groups of D-glucosyl units in (1 \rightarrow 3)- β -D-glucan, C1
- Iodine, binding to amyloextrin fractions of, 257
- Klebsiella* serotype K15, studies of the primary structure of the capsular polysaccharide from, 91
- ¹⁸F-Labelled 2-deoxy-2-fluoro-D-galactopyranose, synthesis of, using the acetyl hypofluorite procedure, 314
- Linseed mucilage, structural features of an arabinoxylan and a rhamnogalacturonan derived from, 265
- Lysozomal enzymes, synthesis of end group of high-mannose chains of, 195
- O- α -D-Mannopyranosyl-(1 \rightarrow 3)- and -(1 \rightarrow 6)- α -D-mannopyranoside 6'-phosphates, synthesis of, 324
- 2-O- α -D-Mannopyranosyl- α -D-mannopyranoside, methyl, 6' and 6'-mono, and 6,6'-diphosphate of, 318
- 2-O- α -D-Mannopyranosyl- α -D-talopyranoside, methyl, synthesis of, 31
- Mannosides, tri-, phosphorylated, synthesis of, 195
- Mechanisms for hydroperoxide degradation of disaccharides and related compounds, 181
- 8-Methoxycarbonyl O- α -D-mannopyranosyl-(1 \rightarrow 3)- and -(1 \rightarrow 6)- α -D-mannopyranoside 6'-phosphate, synthesis of, 324
- Methyl 2-O- α -D-mannopyranosyl- α -D-mannopyranoside 6- and 6'-mono-, and 6,6'-di-phosphate of, 318
- Methyl 2,6-di-O-pivaloyl- α -D-glucopyranoside, synthesis and esterase-catalysed de-esterification of radiolabelled, 150
- Methylation procedure for the analysis of glycosphingolipids, application of a simple, 281
- Mucilaginous acidic polysaccharide from black gram (*Phaseolus mungo*): structure-function characteristics, 161
- Neoglycolipid micro-immunoassays applied to the oligosaccharides of human milk galactosyl-transferase, 133
- Neoglycolipids, 3-bromo-2-bromomethylpropyl glycosides in the preparation of double-chain bis-sulfide, 225
- Nitric acid, oxidation of α -D-glucoisosaccharinic acid by, 156
- ¹³C-N.m.r. studies of peracetylated derivatives of O- α - and O- β -D-galactopyranosyl-(1 \rightarrow 3)- and -(1 \rightarrow 4)- α -D-galactopyranose, 144
- Nucleic acid chemistry (book review), C1
- Oligosaccharide fragments of the repeating unit of *Salmonella kentucky* O-specific polysaccharide, synthesis of, and conversion into the glycosyl phosphates, 97
- Oxidation of α -D-glucoisosaccharinic acid by nitric acid, 156
- Oxidation of partially protected derivatives of α -D-glucofuranose and β -D-fructofuranose, photochemical, 65
- Pectin, depolymerization with diazomethane of, 75
- Peracetylated derivatives of O- α - and O- β -D-galactopyranosyl-(1 \rightarrow 3)- and -(1 \rightarrow 4)- α -D-galactopyranose, ¹³C-n.m.r. studies of, 144
- 6'-O-Phosphorylated derivation of di-D-mannosyl glycosides, synthesis of, 324
- Phosphorylated trimannosides, synthesis of, 195
- Phosphorylation of the primary hydroxyl groups of methyl 2-O- α -D-mannopyranosyl- α -D-mannopyranoside, 318
- Photochemical oxidation of partially protected derivatives of α -D-glucofuranose and β -D-fructofuranose, 65
- Polysaccharide (S-198) elaborated by *Alcaligenes* ATCC 31853, structural studies of an extracellular, 127

- Polysaccharide from black gram (*Phaseolus mungo*), structure-function characteristics of a mucilaginous acidic, 161
- Polysaccharide from *Klebsiella* serotype K15, studies of the primary structure of the capsular, 91
- Proteoglycan containing L-arabino-D-galactan in radish seed, 113
- Quercus suber*, structural studies of the hemicellulose A from the cork of, 167
- Radish (*Raphanus sativus*) seeds, L-arabino-D-galactan from, 113
- Rhamnopyranose, β -L-, 1,3-anhydro-2,4-di-O-benzyl- and -2,4-di-O-(*p*-bromobenzyl)-, 235
- Rheological properties of ι -carrageenan, 247
- Salmonella kentucky* O-specific polysaccharide, synthesis of oligosaccharide fragments of the repeating unit of, and conversion of the oligosaccharides into the glycosyl phosphates, 97
- O-Specific side-chains of the *Escherichia coli* O-2 lipopolysaccharide, structural studies of the, 273
- Starch, crystallisation of malto-oligosaccharides as models of the crystalline forms of, and the minimum chain-length requirement for the formation of double helices, 291
- Starches and model compounds, factors affecting the crystalline type (A-C) of native, 301
- CH(CD)-Stretchings in D-glucose and some deuterated derivatives, conformational dependence of, as revealed by infrared and Raman spectroscopy, 1
- Structural characterization of sulfated glycosaminoglycans by fast-atom-bombardment mass-spectrometry: application to heparin fragments prepared by chemical synthesis, 305
- Structural features of an arabinoxylan and a rhamnogalacturonan derived from linseed mucilage, 265
- Structural revision of the products of acylation of glycofurano[2,1-*d*]imidazolidine-2-thiones, 49
- Structural studies of an extracellular polysaccharide (S-198) elaborated by *Alcaligenes* ATCC 31853, 127
- Structural studies of the hemicellulose A from the cork of *Quercus suber*, 167
- Structural studies of the O-specific side-chains of the *Escherichia coli* O-2 lipopolysaccharide, 273
- Structure-function characteristics of a mucilaginous acidic polysaccharide from black gram (*Phaseolus mungo*), 161
- Studies of the primary structure of the capsular polysaccharide from *Klebsiella* serotype K15, 91
- Synthesis and conformational analysis of substituted 2,6-dioxabicyclo[3.1.1.]heptanes: 1,3-anhydro-2,4-di-O-benzyl- and -2,6-di-O-(*p*-bromobenzyl)- β -L-rhamnopyranose, 235
- Synthesis and esterase-catalysed de-esterification of radiolabelled methyl 2,6-di-O-pivaloyl- α -D-glucopyranoside, 150
- Synthesis of ^{18}F -labelled 2-deoxy-2-fluoro-D-galactopyranose using the acetyl hypofluorite procedure, 314
- Synthesis of oligosaccharide fragments of the repeating unit of *Salmonella kentucky* O-specific polysaccharide and conversion of the oligosaccharides into the glycosyl phosphates, 97
- α -D-Talopyranoside, 2-O- α -D-mannopyranosyl- and 2-O- α -D-talopyranosyl-, methyl, synthesis of, 31
- 2-O- α -D-Talopyranosyl- α -D-talopyranoside, methyl, synthesis of, 31
- Thiobarbiturate-negative endotoxin, detection of 3-deoxy-2-octulosonic acid in, c4

